





REV.	ECN.NO.	MODIFY.CONTENT
A		NEW



RECOMMEND P.C.B LAYOUT  
(General tolerance  $\pm 0.05$ )


- PAD AREA
- NO COPPER AREA  
(NO Trace&Via&GND)

NOTES :

1. MATERIAL :
  - 1.1 HOUSING: LCP UL94 S475 V-0, BLACK COLOR.
  - 1.2 SHELL: STAINLESS STEEL SUS304.
  - 1.3 CONTACT: COPPER ALLOY C5210.
2. FINISH :
  - 2.1 CONTACT: GOLD PLATING ON CONTACT AREA, MATTE TIN 80u"MIN ON SOLDER TAIL AREA. 50u" MIN NICKEL PLATING OVERALL.
  - 2.2 SHELL: 30U" MIN SOLDERABLE NICKEL PLATED OVER ALL. GOLD FLASH ON SOLDER AREA
3. ELECTRICAL CHARACTERISTICS:
  - 3.1 OPERATING VOLTAGE : 100V AC(rms)/DC.
  - 3.2 CURRENT RATING : 0.5 A.
  - 3.3 OPERATING TEMPERATURE:  $-25^{\circ}\text{C}\sim+85^{\circ}\text{C}$ .
  - 3.4 CONTACT RESISTANCE: 100 m OHMS MAX.
  - 3.5 INSULATION RESISTANCE: 1000M OHMS MIN. AT 250VDC.
  - 3.6 DIELECTRIC WITHSTANDING VOLTAGE: 500 VAC/1MINUTE.
4. MAJOR DIMENSION: ▼

Pin Assignmerts

NANO SIM CAED	
Pin1	CLK
Pin2	DATA
Pin3	RST
Pin4	Vpp
Pin5	Vcc
Pin6	GND
Pin7	CD/SW




PART.NO.:  
SP132-AP401-\*\*

- 42: 功能区镀金1U", 锡脚镀雾纯锡至少80U"
- 43: 功能区镀金3U", 锡脚镀雾纯锡至少80U"
- 44: 功能区镀金5U", 锡脚镀雾纯锡至少80U"
- 45: 功能区镀金10U", 锡脚镀雾纯锡至少80U"
- 46: 功能区镀金15U", 锡脚镀雾纯锡至少80U"
- 47: 功能区镀金30U", 锡脚镀雾纯锡至少80U"

GENERAL TOLERANCE	DWG.NO.	SP132-AP401-00	PART.NO.	SP132-AP401-**	DRAWN	L.M.J 2019.04.10
x. $\pm 0.50$	REV.	A	TITLE	Nano SIM Push H1.50 conn	CHECKED	
.x $\pm 0.25$	SIZE		SHEET	1 OF 2	APPROVED	
.xx $\pm 0.15$	A4					




UNIT	mm	SCALE	NO SCALE
东莞市欧联电子科技有限公司 DONGGUAN OLN ELECTRONICS TECHNOLOGY CO., LTD.			

REV.	ECN.NO.	MODIFY.CONTENT
A		NEW



- NOTES :
- MATERIAL :  
COVER TAPE : P.S T=0.05  
CARRIER TAPE : P.S T=0.40  
REEL : PET/PS UL94V-0  
CARTON: CORRUGATED FIBER
  - DIMENSION :  
REEL : SEE DRAWING  
SHIPPING BOX: 350X350X310mm
  - QUANTITY : SEE TABLE
  - PEELING RESISTANCE : 10gf~130gf (for 12~56mm)
  - PEELING SPEED : 300mm/MINUTES

PULL OUT DIRECTION



1000	8	8000
PCS/REEL	REEL/BOX	TOTAL Q'TY

GENERAL TOLERANCE	DWG.NO.	SP132-AP401-00	PART.NO.	SP132-AP401-**	DRAWN	L.M.J 2019.04.10
x. ±0.50	REV.	A	TITLE	Nano SIM Push H1.50 conn	CHECKED	
.x ±0.25	SIZE		SHEET	2 OF 2	APPROVED	
.xx ±0.15	A4					

**东莞市欧联电子科技有限公司**  
 DONGGUAN OLN ELECTRONICS TECHNOLOGY CO., LTD.